



Brilliant Aiming Solutions™

**Trijicon® Reflex** | 2012



“My life has depended upon my being able to accurately fire my weapon in almost total darkness. Not having to worry about seeing the ‘dot’ is a benefit only appreciated by those of us who have been in a no/low-light altercation. Thank you.”

M. Sanders  
Tennessee

# Trijicon® Reflex Series



When you're in the field, it's you, your weapon and your Reflex. With its wide peripheral view, the Trijicon® Reflex helps you quickly engage and lock onto moving targets, providing speed and precision for critical situations. It's the precise advantage you need.

## AGILE

Dual-illuminated and parallax free, Trijicon Reflex offers increased field-of-view capabilities that provide fast, both-eyes-open target acquisition and accurate aiming for the military, law enforcement and hunting enthusiasts.

The RX30 Reflex sight features a 42mm, clear-aperture lens for a generous field-of-view and a large sight picture. It allows you to move the firearm freely and remain on target at multiple shooting angles when surveying an area. As a result, the Reflex is considered by

many marksmen to be the fastest and most user-friendly sight in the field — any field.

Allowing accurate both-eyes-open shooting that expands peripheral view, this advanced sight provides a critical advantage when you're aiming on the move, in low-light situations, or even in darkness.

## VERSATILE

With the Reflex, a glowing tritium lamp ensures a bright amber reticle at night or in low-light conditions, while advanced fiber optics deliver ambient light to the aiming point during the day. A multi-layer dichroic-mirrored lens delivers wide-band light transmission.

And, adjustments for windage and elevation further improve accuracy.

Reflex is available with three reticle options to match your shooting requirements: one triangle and two different size dots.

## DEPENDABLE

Nearly indestructible, the Reflex features a military-grade housing that's cast from aircraft-grade aluminum alloy. Tested to military standards, the sight stands up to and performs under the most extreme environmental conditions. Batteries? None needed; it's totally battery free.



Model RX01NSN  
1x24



Model RX30  
1x42



# Trijicon® Reflex

Model RX01




Model RX01NSN



Model RX06-10




## Trijicon® Reflex Reticle Options:




4.5 MOA

- RX01NSN
- RX34
- RX34A-51



6.5 MOA

- RX01
- RX30
- RX30A
- RX30A-51



14.9 MOA

- RX06

### Trijicon Fiber Optics

Automatically adjusts the brightness level and contrast of the reticles to available light conditions.

### Trijicon Tritium-Phosphor Lamp

Aiming reticle glows in low-light conditions for quick target acquisition. Lamp is guaranteed to illuminate up to 15 years.

### Adjustable Elevation

### Military-Grade Aluminum-Alloy Housing

Investment Cast aircraft-aluminum-alloy housing provides for a nearly indestructible sighting system.

Model RX30  
1x42

### Trijicon Reflex Provides a True-Color Multi-Coated Lens

Creates wide-band light transmission.

### Limited Lifetime Warranty



### Adjustable Windage

# Trijicon® Reflex Model Specifications

Model RX30



Model RX30A-51



Model	RX01	RX01NSN	RX06	RX30	RX30A-51	RX34	RX34A-51
Description	Reflex with 6.5 MOA Amber Dot Reticle (without mount)	Reflex 4.5 MOA Amber Dot, with flattop adapter, polarizing filter and dust cover	Reflex with 12.9 MOA Amber Triangle Reticle (without mount)	Reflex with 6.5 MOA Amber Dot Reticle (without mount)	Reflex with 6.5 MOA Amber Dot Reticle with ACOG base / TA51 mount	Reflex with 4.5 MOA Amber Dot Reticle (without mount)	Reflex with 4.5 MOA Amber Dot Reticle with ACOG base / TA51 mount
Magnification	1x	1x	1x	1x	1x	1x	1x
Objective Size	24mm	24mm	24mm	42mm	42mm	42mm	42mm
Reticle Dimension	6.5 MOA	4.5 MOA	12.9 MOA	6.5 MOA	6.5 MOA	4.5 MOA	4.5 MOA
Reticle Option	Dot	Dot	Triangle	Dot	Dot	Dot	Dot
Length	4.25 in.	4.9 in.	4.25 in.	5.0 in.	5.0 in.	5.0 in.	5.0 in.
Width	1.35 in.	1.3 in.	1.35 in.	2.1 in.	2.1 in.	2.1 in.	2.1 in.
Height	1.65 in.	2.3 in. from top of 1913 rail	1.65 in.	2.2 in.	2.6 in. from top of 1913 rail	2.2 in.	2.6 in. from top of 1913 rail
Weight	4.2 oz.	9.2 oz.	4.2 oz.	8.7 oz.	13.2 oz.	8.7 oz.	13.2 oz.

# Trijicon® Reflex

1x24 Model #	Description
RX01	24mm Reflex, Amber 6.5 MOA Dot Reticle, Reflex Base (without Mount)
RX01-10	24mm Reflex, Amber 6.5 MOA Dot Reticle, Reflex Base (with RX10 M16 Handle Mount)
RX01-11	24mm Reflex, Amber 6.5 MOA Dot Reticle, Reflex Base (with RX11 Weaver Mount)
RX01-14	24mm Reflex, Amber 6.5 MOA Dot Reticle, Reflex Base (with RX14 Flattop Mount)
RX01-17	24mm Reflex, Amber 6.5 MOA Dot Reticle, Reflex Base (with H&K Mount)
RX01-23	24mm Reflex, Amber 6.5 MOA Dot Reticle, Reflex Base (with RX23 A.R.M.S.® #15 Throw Lever Flattop Mount)
RX01-25	24mm Reflex, Amber 6.5 MOA Dot Reticle, Reflex Base (with RX25 M16/AR15 Top of Handle Mount)
RX01NSN	24mm Reflex, Amber 4.5 MOA Dot Reticle, Reflex Base (with Flattop Adapter, Polarizing Filter and Dust Cover)
RX06	24mm Reflex, Amber 12.9 MOA Triangle Reticle, Reflex Base (without Mount)
RX06-10	24mm Reflex, Amber 12.9 MOA Triangle Reticle, Reflex Base (with RX10 M16 Handle Mount)
RX06-11	24mm Reflex, Amber 12.9 MOA Triangle Reticle, Reflex Base (with RX11 Weaver Mount)
RX06-14	24mm Reflex, Amber 12.9 MOA Triangle Reticle, Reflex Base (with RX14 Flattop Mount)
RX06-17	24mm Reflex, Amber 12.9 MOA Triangle Reticle, Reflex Base (with H&K Mount)
RX06-23	24mm Reflex, Amber 12.9 MOA Triangle Reticle, Reflex Base (with RX23 A.R.M.S.® #15 Throw Lever Flattop Mount)
RX06-25	24mm Reflex, Amber 12.9 MOA Triangle Reticle, Reflex Base (with RX25 M16/AR15 Top of Handle Mount)

1x42 Model #	Description
RX30	42mm Reflex, Amber 6.5 MOA Dot Reticle, Reflex Base (without Mount)
RX30-11	42mm Reflex, Amber 6.5 MOA Dot Reticle, Reflex Base (with RX11 Weaver Mount)
RX30-14	42mm Reflex, Amber 6.5 MOA Dot Reticle, Reflex Base (with RX14 Flattop Mount)
RX30-17	42mm Reflex, Amber 6.5 MOA Dot Reticle, Reflex Base (with H&K Mount)
RX30-23	42mm Reflex, Amber 6.5 MOA Dot Reticle, Reflex Base (with RX23 A.R.M.S.® #15 Throw Lever Flattop Mount)
RX30-25	42mm Reflex, Amber 6.5 MOA Dot Reticle, Reflex Base (with RX25 M16/AR15 Top of Handle Mount)
RX30A	42mm Reflex, Amber 6.5 MOA Dot Reticle, ACOG Base (without Mount)
RX30A-51	42mm Reflex, Amber 6.5 MOA Dot Reticle, ACOG Base (with TA51 Flattop Mount)
RX34	42mm Reflex, Amber 4.5 MOA Dot Reticle, Reflex Base (without Mount)
RX34-11	42mm Reflex, Amber 4.5 MOA Dot Reticle, Reflex Base (with RX11 Weaver Mount)
RX34-14	42mm Reflex, Amber 4.5 MOA Dot Reticle, Reflex Base (with RX14 Flattop Mount)
RX34-17	42mm Reflex, Amber 4.5 MOA Dot Reticle, Reflex Base (with H&K Mount)
RX34-23	42mm Reflex, Amber 4.5 MOA Dot Reticle, Reflex Base (with RX23 A.R.M.S.® #15 Throw Lever Flattop Mount)
RX34-25	42mm Reflex, Amber 4.5 MOA Dot Reticle, Reflex Base (with RX25 M16/AR15 Top of Handle Mount)
RX34A-51	42mm Reflex, Amber 4.5 MOA Dot Reticle, ACOG Base (with TA51 Flattop Mount)





[www.trijicon.com](http://www.trijicon.com)

**Trijicon, Inc.**

49385 Shafer Avenue  
P. O. Box 930059  
Wixom, Michigan  
48393-0059 USA

1-248-960-7700  
1-800-338-0563  
Fax: 1-248-960-7725